*European Journal of Pharmacology – Molecular Pharmacology Section*, 246 (1993) 303–305
© 1993 Elsevier Science Publishers B.V. All rights reserved 0922-4106/93/$06.00


# Author index


Aktories, K., see Just, I. (246) 293
Ala-Uotila, S., see Marjamäki, A. (246) 219
Allgeier, H., see Benke, D. (246) 179
Altura, B.M., Zhang, A., Cheng, T.P.-O. and Altura, B.T.
Cocaine induces rapid loss of intracellular free $Mg^{2+}$ in cerebral vascular smooth muscle cells (246) 299
Altura, B.T., see Altura, B.M. (246) 299
Angst, C., see Benke, D. (246) 179
Arbilla, S., see Faure-Halley, C. (246) 283

Belcourt, A., see Bennai, F. (246) 45
Benke, D., Marti, T., Heckendorn, R., Rehm, H., Künzi, R., Allgeier, H., Angst, C. and Mohler, H.
Photoaffinity labeling of the NMDA receptor (246) 179
Bennai, F., Greney, H., Bricca, G., Belcourt, A., Bousquet, P. and Dontenwill, M.
Polyclonal anti-idazoxan antibodies: characterization and purification (246) 45
Borsodi, A., see Wild, K.D. (246) 25
Borsodi, A., see Wild, K.D. (246) 289
Bouaboula, M., see Rinaldi-Carmona, M. (246) 73
Bousquet, P., see Bennai, F. (246) 45
Brelière, J.-C., see Rinaldi-Carmona, M. (246) 73
Bricca, G., see Bennai, F. (246) 45

Casellas, P., see Rinaldi-Carmona, M. (246) 73
Chang, K.-J., see Wild, K.D. (246) 289
Chang, L.-R., see Tao, P.-L. (246) 233
Chaponnier, C., see Just, I. (246) 293
Chatelain, P., Clinet, M., Polster, P., Christophe, B. and Manning, A.S.
In vitro characterization of a novel $Ca^{2+}$ entry blocker: SR 33805 (246) 181
Cheng, T.P.-O., see Altura, B.M. (246) 299
Chhajlani, V., see Xia, Y. (246) 129
Chou, Y.-P., see Tao, P.-L. (246) 233
Christians, U., see Hoof, T. (246) 53
Christoffersen, T., see Sandnes, D. (246) 163
Christophe, B., see Chatelain, P. (246) 181
Christopoulos, A., Loiacono, R. and Mitchelson, F.
Binding of the muscarine receptor antagonist heptane-1,7-bis(dimethyl-3′-phthalimidopropyl)ammonium bromide at cholinoceptor sites (246) 1
Classen, M., see Schmidtler, J. (246) 59
Clegg, R.A., see MacEwan, D.J. (246) 9
Clinet, M., see Chatelain, P. (246) 181
Congy, C., see Rinaldi-Carmona, M. (246) 73
Connor, K., see MacEwan, D.J. (246) 9
Crocker, C., see Ying, S.-W. (246) 89

Daykin, K., Widdop, S. and Hall, I.P.
Control of histamine induced inositol phospholipid hydrolysis in cultured human tracheal smooth muscle cells (246) 135
Dehne, K., see Schmidtler, J. (246) 59
De Koster, B.M., see Elferink, J.G.R. (246) 157
Demmer, A., see Hoof, T. (246) 53
DeSouza, E.B., see Levant, B. (246) 171
Dontenwill, M., see Bennai, F. (246) 45
Drejer, J., see Johansen, T.H. (246) 195
Duncalfe, L.L. and Dunn, S.M.J.
Benzodiazepine binding to $GABA_A$ receptors: differential effects of sulfhydryl modification (246) 141
Dunn, S.M.J., see Duncalfe, L.L. (246) 141

Elferink, J.G.R. and De Koster, B.M.
The effect of cyclic GMP and cyclic AMP on migration by electroporated human neutrophils (246) 157

Fang, L., see Wild, K.D. (246) 289
Farb, D.H., see Wu, F.-S. (246) 239
Faure-Halley, C., Graham, D., Arbilla, S. and Langer, S.Z.
Expression and properties of recombinant $\alpha_1\beta_2\gamma_2$ and $\alpha_5\beta_2\gamma_2$ forms of the rat $GABA_A$ receptor (246) 283
Feyen, J.H.M., see Schneider, H. (246) 149
Forrest, J.M.S., see Müller, W.E.G. (246) 261
Fujimoto, M., see Mihara, S.-i. (246) 33
Furuichi, A., see Isono, T. (246) 205

García, A.G., see Moro, M.A. (246) 213
Gibbs, T.T., see Wu, F.-S. (246) 239
Graham, D., see Faure-Halley, C. (246) 283
Greney, H., see Bennai, F. (246) 45
Grigoriadis, D.E., see Levant, B. (246) 171

Haaseth, R.C., see Wild, K.D. (246) 25
Hagino, Y., see Nomura, T. (246) 113
Hajime Orimo, , see Michiro Ishikawa, (246) 121
Hall, I.P., see Daykin, K. (246) 135
Hammond, J.R., see Jones, K.W. (246) 97
Hasegawa, S., see Nomura, T. (246) 113
Häussinger, D., see Wöll, E. (246) 269
Heckendorn, R., see Benke, D. (246) 179
Heffner-Lauc, M., see Müller, W.E.G. (246) 261
Honscha, W., Schulz, K., Müller, D. and Petzinger, E.
Two different mRNAs from rat liver code for the transport of bumetanide and taurocholate in *Xenopus laevis* oocytes (246) 227
Hoof, T., Demmer, A., Christians, U. and Tümmler, B.
Reversal of multidrug resistance in Chinese hamster ovary cells by the immunosuppressive agent rapamycin (246) 53
Horan, P.J., see Wild, K.D. (246) 25
Hruby, V.J., see Wild, K.D. (246) 25
Huupponen, R., see Rouru, J. (246) 67

Isaksson, K., see Rouru, J. (246) 67
Isono, T., Koibuchi, Y., Sato, N., Furuichi, A., Nishii, M., Yamamoto, T., Mori, J., Kohsaka, M. and Ohtsuka, M.
Vasorelaxant mechanism of the new vasodilator, FK409 (246) 205
Izenwasser, S. and Katz, J.L.
Differential efficacies of dopamine $D_1$ receptor agonists for stimulating adenylyl cyclase in squirrel monkey and rat (246) 39

Jacobsen, F.W., see Sandnes, D. (246) 163
Johansen, T.H., Drejer, J., Wätjen, F. and Nielsen, E.Ø.
A novel non-NMDA receptor antagonist shows selective displacement of low-affinity [$^3$H]kainate binding (246) 195
Johnson, M.S., see MacEwan, D.J. (246) 9
Jones, K.W. and Hammond, J.R.
Interaction of the mioflazine derivative R75231 with the nucleoside transporter: evidence for positive cooperativity (246) 97
Just, I., Wille, M., Chaponnier, C. and Aktories, K.
Gelsolin-actin complex is target for ADP-ribosylation by *Clostridium botulinum* C2 toxin in intact human neutrophils (246) 293

Katz, J.L., see Izenwasser, S. (246) 39
Kohsaka, M., see Isono, T. (246) 205
Koibuchi, Y., see Isono, T. (246) 205
Kondo, H., see Nomura, T. (246) 113
Kooyman, A.R., Zwart, R. and Vijverberg, H.P.M.
Tetraethylammonium ions block 5-HT$_3$ receptor-mediated ion current at the agonist recognition site and prevent desensitization in cultured mouse neuroblastoma cells (246) 247
Koulu, M., see Rouru, J. (246) 67
Künzi, R., see Benke, D. (246) 179

Lang, F., see Wöll, E. (246) 269
Lang, H.-J., see Wöll, E. (246) 269
Langer, S.Z., see Faure-Halley, C. (246) 283
Law, P.-Y., see Tao, P.-L. (246) 233
Le Fur, G., see Rinaldi-Carmona, M. (246) 73
Leid, M., see Musser, B. (246) 105
Levant, B., Grigoriadis, D.E. and DeSouza, E.B.
Monoamine oxidase inhibitors inhibit [$^3$H]quinpirole binding in rat striatal membranes (246) 171
Linden, J., see Musser, B. (246) 105
Lipkowski, A., see Wild, K.D. (246) 25
Loh, H.H., see Tao, P.-L. (246) 233
Loiacono, R., see Christopoulos, A. (246) 1
Luomala, K., see Marjamäki, A. (246) 219
Lutz, E.M., see MacEwan, D.J. (246) 9

MacEwan, D.J., Mitchell, R., Johnson, M.S., Thomson, F.J., Lutz, E.M., Clegg, R.A. and Connor, K.
Evidence that protein kinase C$\alpha$ has reduced affinity towards 1,2-dioctanoyl-sn-glycerol: the effects of lipid activators on phorbol ester binding and kinase activity (246) 9
Machado, A., see Ruano, D. (246) 81
Maksay, G.
Partial and full agonists/inverse agonists affect [$^{35}$S]TBPS binding at different occupancies of central benzodiazepine receptors (246) 255
Manning, A.S., see Chatelain, P. (246) 181
Marjamäki, A., Luomala, K., Ala-Uotila, S. and Scheinin, M.
Use of recombinant human $\alpha_2$-adrenoceptors to characterize subtype selectivity of antagonist binding (246) 219
Marti, T., see Benke, D. (246) 179
Matsunaga, T.O., see Wild, K.D. (246) 25
McNutt, R.W., see Wild, K.D. (246) 289
Michelena, P., see Moro, M.A. (246) 213
Michiro Ishikawa, , Yasuyoshi Ouchi, and Hajime Orimo,
Effect of calcitonin gene-related peptide on cytosolic free $Ca^{2+}$ level in vascular smooth muscle (246) 121
Mihara, S.-i. and Fujimoto, M.
The endothelin ET$_A$ receptor-specific effect of 50-235, a nonpeptide endothelin antagonist (246) 33
Mironneau, C., see Sayet, I. (246) 275
Mironneau, J., see Sayet, I. (246) 275
Misicka, A., see Wild, K.D. (246) 25
Mitchell, R., see MacEwan, D.J. (246) 9
Mitchelson, F., see Christopoulos, A. (246) 1
Mohler, H., see Benke, D. (246) 179
Moncada, S., see Moro, M.A. (246) 213
Morgan, M.E., see Musser, B. (246) 105
Mori, J., see Isono, T. (246) 205
Moro, M.A., Michelena, P., Sánchez-García, P., Palmer, R., Moncada, S. and García, A.G.
Activation of adrenal medullary L-arginine: nitric oxide pathway by stimuli which induce the release of catecholamines (246) 213
Movva, N.R., see Schneider, H. (246) 149
Müller, D., see Honscha, W. (246) 227
Müller, W.E.G., Ushijima, H., Schröder, H.C., Forrest, J.M.S., Schatton, W.F.H., Rytik, P.G. and Heffner-Lauc, M.
Cytoprotective effect of NMDA receptor antagonists on prion protein (Prion$^{Sc}$)-induced toxicity in rat cortical cell cultures (246) 261
Murray, T.F., see Musser, B. (246) 105
Musser, B., Morgan, M.E., Leid, M., Murray, T.F., Linden, J. and Vestal, R.E.
Species comparison of adenosine and $\beta$-adrenoceptors in mammalian atrial and ventricular myocardium (246) 105

Nah, S.-Y., Saya, D. and Vogel, Z.
Cannabinoids inhibit agonist-stimulated formation of inositol phosphates in rat hippocampal cultures (246) 19
Neuilly, G., see Sayet, I. (246) 275
Nielsen, E.Ø., see Johansen, T.H. (246) 195
Niles, L.P., see Ying, S.-W. (246) 89
Nishii, M., see Isono, T. (246) 205
Nomura, H., see Nomura, T. (246) 113
Nomura, T., Kondo, H., Hasegawa, S., Watanabe, T., Yokoyama, R., Ukai, K., Tachibana, M., Sumi-Ichinose, C., Nomura, H. and Hagino, Y.
$\alpha_{1B}$-Adrenoceptor-mediated stimulation of $Ca^{2+}$ mobilization and cAMP accumulation in isolated rat hepatocytes (246) 113

Offner, F., see Wöll, E. (246) 269
Ohtsuka, M., see Isono, T. (246) 205
Oury-Donat, F., see Rinaldi-Carmona, M. (246) 73

Palmer, R., see Moro, M.A. (246) 213
Petzinger, E., see Honscha, W. (246) 227
Polster, P., see Chatelain, P. (246) 181
Porreca, F., see Wild, K.D. (246) 25
Porreca, F., see Wild, K.D. (246) 289

Rakotoarisoa, L., see Sayet, I. (246) 275
Refsnes, M., see Sandnes, D. (246) 163
Rehm, H., see Benke, D. (246) 179
Rinaldi-Carmona, M., Bouaboula, M., Congy, C., Oury-Donat, F., Simiand, J., Shire, D., Casellas, P., Soubrié, P., Brelière, J.-C. and Le Fur, G.
Up-regulation of 5-HT$_2$ receptors in the rat brain by repeated administration of SR 46349B, a selective 5-HT$_2$ receptor antagonist (246) 73
Ritter, M., see Wöll, E. (246) 269
Rouru, J., Isaksson, K., Santti, E., Huupponen, R. and Koulu, M.
Metformin and brown adipose tissue thermogenetic activity in genetically obese Zucker rats (246) 67
Ruano, D., Machado, A. and Vitorica, J.
Absence of modifications of the pharmacological properties of the GABA$_A$ receptor complex during aging, as assessed in 3- and 24-month-old rat cerebral cortex (246) 81
Rytik, P.G., see Müller, W.E.G. (246) 261

Sánchez-García, P., see Moro, M.A. (246) 213
Sandnes, D., Jacobsen, F.W., Refsnes, M. and Christoffersen, T.
Long-term inhibitory effect of cAMP on $\beta$-adrenoceptor acquisition and nonselective attenuation of adenylyl cyclase in hepatocytes (246) 163

Santti, E., see Rouru, J. (246) 67
Sato, N., see Isono, T. (246) 205
Saya, D., see Nah, S.-Y. (246) 19
Sayet, I., Neuilly, G., Rakotoarisoa, L., Mironneau, J. and Mironneau, C.
Rat vena cava $\alpha_{1B}$-adrenoceptors: characterization by [$^3$H]prazosin binding and contraction experiments (246) 275
Schatton, W.F.H., see Müller, W.E.G. (246) 261
Scheinin, M., see Marjamäki, A. (246) 219
Schepp, W., see Schmidtler, J. (246) 59
Schmidtler, J., Dehne, K., Schusdziarra, V., Classen, M. and Schepp, W.
Pertussis toxin-sensitive inhibition of glucagon-like peptide 1-stimulated acid production by epidermal growth factor and transforming growth factor $\alpha$ in rat parietal cells (246) 59
Schneider, H., Feyen, J.H.M., Seuwen, K. and Movva, N.R.
Cloning and functional expression of a human parathyroid hormone receptor (246) 149
Schölkens, B., see Wöll, E. (246) 269
Schröder, H.C., see Müller, W.E.G. (246) 261
Schulz, K., see Honscha, W. (246) 227
Schusdziarra, V., see Schmidtler, J. (246) 59
Seuwen, K., see Schneider, H. (246) 149
Shire, D., see Rinaldi-Carmona, M. (246) 73
Simiand, J., see Rinaldi-Carmona, M. (246) 73
Soubrié, P., see Rinaldi-Carmona, M. (246) 73
Sumi-Ichinose, C., see Nomura, T. (246) 113

Tachibana, M., see Nomura, T. (246) 113
Tao, P.-L., Chang, L.-R., Chou, Y.-P., Law, P.-Y. and Loh, H.H.
Chronic opioid treatment may uncouple opioid receptors and G-proteins: evidence from radiation inactivation analysis (246) 233
Thomson, F.J., see MacEwan, D.J. (246) 9
Toth, G., see Wild, K.D. (246) 25
Toth, G., see Wild, K.D. (246) 289
Tümmler, B., see Hoof, T. (246) 53

Ukai, K., see Nomura, T. (246) 113
Ushijima, H., see Müller, W.E.G. (246) 261

Vestal, R.E., see Musser, B. (246) 105
Vijverberg, H.P.M., see Kooyman, A.R. (246) 247
Vitorica, J., see Ruano, D. (246) 81
Vogel, Z., see Nah, S.-Y. (246) 19

Watanabe, T., see Nomura, T. (246) 113
Wätjen, F., see Johansen, T.H. (246) 195
Widdop, S., see Daykin, K. (246) 135
Wikberg, J.E.S., see Xia, Y. (246) 129
Wild, K.D., Fang, L., McNutt, R.W., Chang, K.-J., Toth, G., Borsodi, A., Yamamura, H.I. and Porreca, F.
Binding of BW 373U86, a non-peptidic $\delta$ opioid receptor agonist, is not regulated by guanine nucleotides and sodium (246) 289
Wild, K.D., Horan, P.J., Misicka, A., Lipkowski, A., Haaseth, R.C., Matsunaga, T.O., Hruby, V.J., Toth, G., Borsodi, A., Yamamura, H.I. and Porreca, F.
Pseudoirreversible binding characteristics of [D-Ala$^2$,Glu$^4$]deltorphin and its Cys$^4$ substituted derivative to $\delta$-opioid receptors (246) 25
Wille, M., see Just, I. (246) 293
Wöll, E., Ritter, M., Offner, F., Lang, H.-J., Schölkens, B., Häussinger, D. and Lang, F.
Effects of HOE 694 – a novel inhibitor of $Na^+/H^+$ exchange – on NIH 3T3 fibroblasts expressing the *RAS* oncogene (246) 269
Wu, F.-S., Gibbs, T.T. and Farb, D.H.
Dual activation of $GABA_A$ and glycine receptors by $\beta$-alanine: inverse modulation by progesterone and 5$\alpha$-pregnan-3$\alpha$-ol-20-one (246) 239

Xia, Y., Chhajlani, V. and Wikberg, J.E.S.
Functional expression of rat $\alpha_{2B}$-adrenoceptor in *Escherichia coli* (246) 129

Yamamoto, T., see Isono, T. (246) 205
Yamamura, H.I., see Wild, K.D. (246) 25
Yamamura, H.I., see Wild, K.D. (246) 289
Yasuyoshi Ouchi, , see Michiro Ishikawa, (246) 121
Ying, S.-W., Niles, L.P. and Crocker, C.
Human malignant melanoma cells express high-affinity receptors for melatonin: antiproliferative effects of melatonin and 6-chloromelatonin (246) 89
Yokoyama, R., see Nomura, T. (246) 113

Zhang, A., see Altura, B.M. (246) 299
Zwart, R., see Kooyman, A.R. (246) 247